


# New Geometries

## Inserts

### TCMT



Description	l	d	s	d <sub>1</sub>	R	PG	AK2110	AM2110	AM2130	AM5120	AP2110	AP2120	AP2135	AP2310	AP2320	AP2335
TCMT 110204EN-AM	11,00	6,350	2,38	2,8	0,4	3			●	●				●	●	●
TCMT 16T304EN-AM	16,50	9,525	3,97	4,3	0,4	3			●	●				●	●	●
TCMT 16T308EN-AM	16,50	9,525	3,97	4,3	0,8	3			●	●				●	●	●
TCMT 110202EN-PM1	11,00	6,350	2,38	2,8	0,2	3			●			●				
TCMT 110204EN-PM1	11,00	6,350	2,38	2,8	0,4	3			●			●				
TCMT 16T304EN-PM1	16,50	9,525	3,97	4,3	0,4	3			●			●				
TCMT 16T308EN-PM1	16,50	9,525	3,97	4,3	0,8	3			●			●				




	P	M	K	N	S	H
AK2110						
AM2110						
AM2130		●				
AM5120			●			
AP2110						
AP2120						●
AP2135						
AP2310						●
AP2320						●
AP2335						●

● = Main application

### TNMG



Description	l	d	s	d <sub>1</sub>	R	PG	AK2110	AM2110	AM2130	AM5120	AP2110	AP2120	AP2135	AP2310	AP2320	AP2335
TNMG 160404EN-NM2	16,50	9,525	4,76	3,81	0,4	2			●			●				
TNMG 160408EN-NM2	16,50	9,525	4,76	3,81	0,8	2			●			●				
TNMG 160412EN-NM2	16,50	9,525	4,76	3,81	1,2	2			●			●				
TNMG 160404EN-NMR	16,50	9,525	4,76	3,81	0,4	2			●	●						
TNMG 160408EN-NMR	16,50	9,525	4,76	3,81	0,8	2			●	●						
TNMG 160412EN-NMR	16,50	9,525	4,76	3,81	1,2	2			●							
TNMG 160408EN-NMG1	16,50	9,525	4,76	3,81	0,8	2	●		●		●	●	●			
TNMG 160412EN-NMG1	16,50	9,525	4,76	3,81	1,2	2	●		●		●	●	●			
TNMG 160404EN-NS1	16,50	9,525	4,76	3,81	0,4	2		●			●	●				
TNMG 160408EN-NS1	16,50	9,525	4,76	3,81	0,8	2		●			●	●				



	P	M	K	N	S	H
AK2110	○					
AM2110		●				
AM2130		●				
AM5120			●			
AP2110						○
AP2120						
AP2135						
AP2310						
AP2320						
AP2335						

● = Main application ○ = Secondary application

All dimensions are in mm